

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10523762"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 19:30
L15	4247	((187/254,258) or (310/261) or (254/290,316, 901)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/06 20:35
L16	811	H02K007/102.ipc.	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:43
L17	2013	B66B011/08.ipc.	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:43
L18	67	B66B015/08.ipc.	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:43
L19	1955	(16 17 18) and @pd<"20030606"	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:05
L20	11	19 and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:06
L21	12	19 and (thin\$3 shallow\$1 narrow\$1 flat\$1) near5 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:49
L22	1	21 not 20	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:49
L23	4247	((187/254,258) or (310/261) or (254/290,316, 901)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/06 20:50
L24	52	L23 and @pd<"20030606" and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 21:05
L25	52	24 not 21	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 20:51
L26	71	L23 and @pd<"20050208" and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 21:05
L27	2435	(16 17 18) and @pd<"20050208"	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:05
L28	13	27 and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:06
L29	21	(26 28) not (21 25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 21:07

## EAST Search History

L30	0	WO-200307092-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 21:18
L31	2	WO-2004108579-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 21:18

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10523762"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 19:30
L15	4247	((187/254,258) or (310/261) or (254/290,316,901)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/06 20:35
L16	811	H02K007/102.ipc.	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:43
L17	2013	B66B011/08.ipc.	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:43
L18	67	B66B015/08.ipc.	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:43
L19	1955	(16 17 18) and @pd<"20030606"	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:05
L20	11	19 and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:06
L21	12	19 and (thin\$3 shallow\$1 narrow\$1 flat\$1) near5 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:49
L22	1	21 not 20	EPO; JPO; DERWENT	OR	ON	2007/03/06 20:49
L23	4247	((187/254,258) or (310/261) or (254/290,316,901)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/06 20:50
L24	52	L23 and @pd<"20030606" and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 21:05
L25	52	24 not 21	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 20:51
L26	71	L23 and @pd<"20050208" and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 21:05
L27	2435	(16 17 18) and @pd<"20050208"	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:05
L28	13	27 and (thin\$3 shallow\$1 narrow\$1 flat\$1) near4 ((type\$1 style\$1 form\$3 housing structur\$2 configur\$2 shell) and (motor drive hoist\$3 traction friction\$2 drive))	EPO; JPO; DERWENT	OR	ON	2007/03/06 21:06
L29	21	(26 28) not (21 25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 21:07

## EAST Search History

L30	0	WO-200307092-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 21:18
L31	2	WO-2004108579-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/06 21:21
L32	13	rotor and stator and sheave and motor and ((diameter radial) near8 ((rotor sheave) and (greater larger more excess)))	US-PGPUB	OR	ON	2007/03/06 21:26
L33	1	rotor and stator and sheave and motor and ((diameter radial) near8 ((rotor sheave) and (greater larger more excess))).clm.	US-PGPUB	OR	ON	2007/03/06 21:26